

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22915

Stream : White Ditch

Applicant : LaPorte County Highway Department
Rick McVay
1805 West 5th Street
LaPorte, IN 46350

Description : The existing 72" diameter concrete pipe culvert carrying Pokagon Trail over White Ditch will be replaced with a new culvert system to reduce upstream flood damages. The new crossing will consist of a 20'-11" x 6'-1" x 31'-6" aluminum box culvert with aluminum headwalls and wing walls. The headwalls and wing walls will be skewed 45 degrees to align with streamflow. Channel widening will occur at the location of the new structure to improve the stream water through the structure. Bank restoration, widening and reshaping will be confined within the construction units. The reshaped areas along the streambank will be stabilized with an 18"-24" thick layer of riprap placed over a geotextile fabric and/or natural plantings. The roadway will be widened approximately 4' to each side to accomodate adequate shoulder and guardrail.. Details of the project are contained in information received at the Division of Water on June 4, 2004.

Location : Pokagon Trail over the White Ditch. Michiana Shore in LaPorte County near Michiana Shores, Springfield Township, LaPorte County
NW¼, NW¼, NW¼, Section 7, T 38N, R 3W, New Buffalo West, MI-IN
Quadrangle
Quad Code: 4108677
UTM Coordinates: Downstream 4622817 North, 515466 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22918

Stream : East Fork White River

Applicant : Martin County Board of Commissioners
Randy Wininger
Martin County Courthouse
PO Box 600
Shoals, IN 47581-0600

Description : The existing historic bridge (Structure No. 68) carrying County Road 300 South over the river will be rehabilitated. The existing bridge is a Wrought Iron Pratt Through Truss. It consists of two (2) spans of 58 meters (190'), each for a total length of 116 meters (381') and is approximately 5.3 meters (17) wide. Minor improvements are proposed for the approach roadway. These include approach guardrail, minimal quantities of new pavement, and incidental construction to transition to the existing roadway. No work is proposed in the channel. The project is federally funded. Details of the project are contained in information and plans received at the Division of Water on June 7, 2004.

Location : At the County Road 300 South stream crossing
DOWNSTREAM: near Rusk, Center Township, Martin County
NE $\frac{1}{4}$, NW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 15, T 2N, R 4W, Rusk Quadrangle
Quad Code: 3808657
UTM Coordinates: Downstream 4273728 North, 513230 East
UPSTREAM: Rutherford Township, Martin County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 10, T 2N, R 4W

UTM Coordinates: Upstream 4273875 North, 513120 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22922

Stream : Big Slough

Applicant : Evelyn Burton
1420 West 500 North
Columbus, IN 47203-9247

Description : An existing residential structure destroyed by fire will be replaced with a new 24' x 52' doublewide home. Details of the project are contained in information and plans received at the Division of Water on June 7, 2004.

Location : 1420 West 500 North; approximately 860' east of and 500' north of the County Road 500 North stream crossing
DOWNSTREAM: near Taylorsville, German Township, Bartholomew County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 26, T 10N, R 5E, Edinburgh Quadrangle
Quad Code: 3908538
UTM Coordinates: Downstream 4347642 North, 591310 East
UPSTREAM: Bartholomew County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-22929

Stream : St. Joseph River

Applicant : City of Mishawaka
Gary West, Director of Engineering
600 East 3rd Street
Mishawaka, IN 46544-2241

Description : A stormwater outfall structure will be constructed along the north bank of the river to provide drainage for a new roadway located landward of the floodway. A 36" diameter outfall pipe will be buried to a depth of 9' in the floodplain. The pipe will terminate with a concrete end section that will conform to the bank slope. Precast concrete revetment laid on geotextiles will be placed at the base of the end section for energy dissipation. Details of the project are contained in information and plans received at the Division of Water on June 10, 2004.

Location : Along the north bank approximately 1500' upstream of the confluence of Willow Creek
near Mishawaka, Penn Township, St. Joseph County
NW $\frac{1}{4}$, NW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 11, T 37N, R 3E, South Bend East Quadrangle
Quad Code: 4108662
UTM Coordinates: Downstream 4613528 North, 570199 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22934

Stream : Ohio River

Applicant : Consolidated Grain and Barge
Scott Perkins
210 George Street
Aurora, IN 47001-1404

Description : A 40' x 60' x 16' pole barn with metal siding will be constructed on a concrete slab. Details of the project are contained in information and plans received at the Division of Water on June 11, 2004 and June 17, 2004.

Location : Beginning approximately 150' northeast of the George Street bridge crossing and extending 500' east

DOWNSTREAM: at Aurora, Center Township, Dearborn County
NE¼, NW¼, NE¼, Section 32, T 5N, R 1W, Aurora, IN-KY Quadrangle
Quad Code: 3908418
UTM Coordinates: Downstream 4325100 North, 681900 East
UPSTREAM: Dearborn County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22936

Stream : Harvey Branch

Applicant : Robert Pierson Jr
22099 Beacon Road
Metamora, IN 47030-9606

Description : A new bridge will be constructed to carry a private drive across the stream. The new structure will be a double-span steel I-beam bridge. The structure will have an out-to-out length of 78.5' and a clear roadway width of 12'. The approach roads will not be elevated above the existing grade. Details of the project are contained in information and plans received at the Division of Water on June 14, 2004.

Location : Approximately 2500' downstream of the Harvey Branch Road (County Road 1000 West) stream crossing
near Oldenburg, Ray Township, Franklin County
NE¼, SE¼, NE¼, Section 32, T 11N, R 12E, Batesville Quadrangle
Quad Code: 3908532
UTM Coordinates: Downstream 4358355 North, 654290 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22939

Stream : George Creek

Applicant : Panattoni Development
Mary Zurbuch
5726 Professional Circle
Suite 110
Indianapolis, IN 46241-5017

Description : The project is located north of where George Creek passes under Stafford Road in Plainfield, Indiana. The purpose of this project is to realign George Creek in this area. The creek currently flows west from the northeast corner of the Fulkerson property, then south toward the center of the parcel, then west approximately to the west property line, then southwest toward the Stafford Road bridge. All culverts the ditch passes through in this area are undersized for the 100-year flood and damaged. The project consists of constructing a new channel to flow west along the north property line then bend 90 degrees to the south at the west property line then meet up with the existing channel that flows southwest from the west property line. The new channel will pass under a proposed bridge at a proposed driveway in the northwest corner. The existing channel within the project limits will be demolished to allow for the construction of an industrial warehouse. This project is to accommodate a 100-year rain event and eliminate flooding of the Fulkerson property and reduce the flooding of adjacent properties. This project is to be constructed to accommodate an industrial development for which the parcel is zoned. Details of the project are contained in information received electronically at the Division of Water on June 16, 2004.

Location : The project is located within the Fulkerson Property, located west and north of the George Creek Bridge on Stafford Road
near Plainfield, Guilford Township, Hendricks County
Section 36, T 15N, R 1E, Bridgeport Quadrangle
Quad Code: 3908663

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22940

Stream : Indian Creek

Applicant : Five Points Road Development Co. L.L.C.
Thomas A Grant
9550 Whitley Drive
Suite B
Indianapolis, IN 46240-1312

Description : A 490' long by 200' wide sediment basin will be excavated in Common Area in floodway. The excavated material will be spread along the west (left) top of bank and will be graded to a maximum depth of 8'. Details of the project are contained in information received electronically at the Division of Water on June 15, 2004.

Location : On the West side of Indian Creek, South of East 42nd Street.
at Indianapolis, Perry Township, Marion County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22944

Stream : Wildcat Creek

Applicant : Carroll County Board of Commissioners
Ramzi Awwad
616 East Elizabeth Street
Flora, IN 46929-1719

Description : The existing covered bridge, carrying County Road 500 West over the Wildcat Creek, will be rehabilitated. The rehabilitation will involve replacing deteriorated truss members as well as replacing the entire floor system (beams and decking). The Cast Iron Abutments will be partially disassembled to repair or replace cracked plates, and the abutments MSE walls will be constructed behind the cast iron to relieve the lateral earth forces. The bridge will also have the siding and roof replaced, and the entire exterior bridge will be repainted. The steel support structure beneath the bridge will also be repainted. The interior will be thoroughly cleaned and treated with a fire-retarding agent. The contractor may need to construct temporary scaffolding, or other support, within the floodway beneath the bridge, but at completion, the project will not change the waterway opening beneath the bridge, nor any area of roadway overtopping. Details of the project are contained in information received electronically at the Division of Water on June 18, 2004.

Location : Lancaster Bridge carrying CR 500 W over Wildcat Creek
near Owasco, Clay Township, Carroll County
Section 2, T 23N, R 2W, Rossville Quadrangle
Quad Code: 4008645

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22945

Stream : Little Pigeon Creek

Applicant : Sterchi Homes Corporation
Brad Sterchi
8820 Big Hill Drive
Evansville, IN 47711-7801

Description : The proposed project calls for the construction of a commercial facility which will include a strip building for small commercial sales businesses and / or offices, a free standing commercial building, mini-storage facilities, a stormwater retention basin, utility extensions to the site, fencing, interior sidewalks, curbing, and parking areas. Thinning of the tree line along the east parcel boundary in Vectren (local gas and electric utility) right-of-way is also proposed. The tree line along the creek bank on the parcel's west and north sides will remain intact; however, some isolated disturbances will be required to extend sanitary sewer service across the creek. Erosion and sediment control measures will be employed during construction. A large incised lake (borrow site) is proposed that will generate fill material for the proposed development as well as for use on off-site construction projects. To date, the total volume of material to be removed from the basin is unknown. It will vary with demand for construction projects in the area. The incised lake is proposed on the northwest portion of the tract whereas the commercial center is proposed on the southeast portion of the tract. This layout maximizes the distance between the commercial center and existing residences; it also places the proposed commercial development beyond the area which is reasonable expected to effectively carry the 100-year flood's flow across the parcel. To date, the bridge replacement on Mt. Pleasant Rd (FW-20807) has not been completed. Fill placement for the commercial development cannot begin until the bridge and road improvement by Vanderburgh County have been completed. Although the original bridge is still in place, it is understood on the part of the applicant that fill for the commercial facility cannot be placed until the old bridge is replaced. However, the removal of material from the incised lake (borrow site) is proposed prior to the completion of the new bridge. The extension of underground utilities to the site is also proposed prior to the completion of the bridge replacement. Given this, the current site plan for the commercial structures is still somewhat conceptual and should be viewed as future construction. The applicant will provide a detailed site grading plan to the Division of Water for concurrence prior to the onset of commercial construction. Although the final grading plan could possibly vary slightly in building location, size, etc, the overall extent of the commercial facility would not go beyond that shown on the enclosed drawings. That is, the development would be contained within the ineffective flow area that is formed by the newer bridge. Details of the project are contained in information that was received at the Division of Water on June 21, 2004.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Location : The site is south of Darmstadt and north of Avansville. The project is along Little Pigeon Creek, a tributary to Pigeon Creek, on the north side of Mt. Pleasant Road. The site is at the northwest quadrant of the intersection of U.S. Highway 41 and Mt. Pleasant Road
near Evansville, Center Township, Vanderburgh County
Section 29, T 5S, R 10W, Evansville North Quadrangle
Quad Code: 3808715

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-22946

Stream : Hurricane Creek

Applicant : Charles E and Diana L Williams
664 East Jefferson Street
Franklin, IN 46131-2519

Description : The construction of a detached garage with slab, metal construction. 24 x 24 feet to sit 40' from north property line, 12' from east property line, 6' from west property line, and approximately 50' from south property line, all measurements are approximate. Details of the project are contained in information that was received electronically by the Division of Water on June 21, 2004.

Location : 664 East Jefferson Street; the garage will be built 45' from the center of road right away on the south side of our property line
at Franklin, Franklin Township, Johnson County
Section 14, T 12N, R 4E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22950

Stream : Cedar Creek

Applicant : Town of Lowell
PO Box 157
Lowell, IN 46356-0157

Description : A 8" diameter ductile iron water line will be placed parallel to Cedar Creek to provide increased water pressure and fire flows to water users in the area. The line will be placed by the open-cut trench method. The line will not cross Cedar Creek, it will only parallel the east side of the creek within the floodplain. Details of the project are contained in information that was received electronically by the Division of Water on June 22, 2004.

Location : Along the east bank of Cedar Creek beginning approximately 500' north of Oakley Avenue and continuing downstream for approximately 1500' along the creek. The line will then run east to Union Street, and then run along Union Street to the intersection of Union and Lincoln Avenue

W 1/2, NE 1/4, Section 26, Township 33 N, Range 9 W, Lowell Quadrangle
at Lowell, Cedar Creek Township, Lake County
Section 26, T 33N, R 9W, Lowell Quadrangle
Quad Code: 4108734

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-22952
- Stream : Tippecanoe River
- Applicant : Heather A Jones
Phil C Reynolds
12651 West Tippecanoe Ranch Road
Delphi, IN 46923-9269
- Phil C Reynolds
12651 West Tippecanoe Ranch Road
Delphi, IN 46923-9269
- Description : Existing river bank with deteriorating slope and rocks approximately 75 feet along property line. Gabian boxes approximately 4 to 5 feet in height will be constructed and filled with existing rocks on bank. Gabian boxes will be installed approximately 2 feet deep into existing bank and will extend no further than three feet from existing bank. Felt liner will be installed behind gabian boxes to allow water flow through boxes while preventing further soil erosion. Details of the project are contained in information received electronically by the Division of Water on June 23, 2004.
- Location : river bank behind 12651 W. Tippecanoe Ranch Rd
near Delphi, Tippecanoe Township, Carroll County
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10
- Application # : PL-19828
- Lake : Cook Lake
- Applicant : Ed Samson
746 East 7th Street
Mishawaka, IN 46544-2324
- Description : A concrete seawall will be constructed across 142' of the applicant's frontage. The wall will be placed along the lake's legal shoreline. The existing timeber wall will be removed. Details of the project are contained in information and plans received at the Division of Water on May 10, 2004.
- Location : 15596 Cook Lake Trail
near Mishawaka, West Township, Marshall County
NE¼, NE¼, NW¼, Section 24, T 33N, R 1E, Plymouth Quadrangle
Quad Code: 4108633
UTM Coordinates: Downstream 4572204 North, 553536 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19839

Lake : Crooked Lake

Applicant : Melissa L Stout
2350 Black Oak Drive
Angola, IN 46703-8195

Description : Approximatley 50' x 50' area of lake frontage will be dredged to remove existing brush. Details of the project are contained in information and plans received at the Division of Water on May 21, 2004.

Location : 2350 Black Oak Drive
near Angola, Pleasant Township, Steuben County
S½, Section 7, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19862

Lake : Knapp Lake

Applicant : Kay S Jacob
8215 Welsch Drive
Fort Wayne, IN 46815-8020

Description : An existing underwater beach will be improved in front of the property of the applicant on Knapp Lake to prevent further beach erosion. A eight (8) inch layer of (7/64 inch clean, washed pea gravel/sand) will be placed directly on top of the remaining sand. It will be across 30' of the 70' frontage. It will project lakeward for the lessor of 20' or a depth of 10' below the (legal/average normal) level of the lake. Details of the project are contained in information received electronically at the Division of Water on June 15, 2004.

Location : 407 Sixth Street

"Breezy Point" on north side of Knapp Lake
at Kimmell, Washington Township, Noble County
Section 4

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-19863
- Lake : Webster Lake
- Applicant : Rick Kiessling
9418 Deer Trail
Fort Wayne, IN 46804-1328
- Description : A concrete seawall will be constructed across 130' of the applicant's lake frontage. Also, a concrete seawall will be constructed along 125' of the applicant's channel frontage. The walls will be placed along the lake's legal shoreline. The glacial stone seawall and the boathouse will be removed. Details of the project are contained in information and plans received at the Division of Water on June 14, 2004.
- Location : 17 C Lane
near North Webster, Tippecanoe Township, Kosciusko County
SW¼, SW¼, SW¼, Section 12, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-19864
- Lake : McClish Lake
- Applicant : Donald Fuess
7024 Maples Road
Fort Wayne, IN 46816-9503
- Description : A 40' x 20' underwater beach will be constructed across 40' of the applicant's 162' lake frontage by placing a uniform 6" of peagravel on the lakebed. Also, the shoreline will be improved by cleaning the debris 1' into the water. The area landward of the shoreline will be reseeded with grass. Details of the project are contained in information and plans received at the Division of Water on June 14, 2004.
- Location : 560 Hudson Lane 201, lots 21 and 22
near Salem, Salem Township, Steuben County
NW¼, NE¼, NW¼, Section 31, T 36N, R 12E, Stroh Quadrangle
Quad Code: 4108552
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19865

Lake : Lake of the Woods

Applicant : Jeri Gurtner
3712 West Shore Drive
Bremen, IN 46506-9367

Description : A concrete seawall will be constructed. Details of the project are contained in information and plans received at the Division of Water on June 14, 2004.

Location : 3712 West Shore Drive
near Bremen, North Township, Marshall County
NE¼, NE¼, SE¼, Section 1, T 34N, R 2E, Bremen Quadrangle
Quad Code: 4108642

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19866

Lake : Simonton Lake

Applicant : Steven H Fulton
51155 Aqua Drive
Elkhart, IN 46514-8100

Description : A concrete seawall will be constructed across 100' of the applicant's frontage. The wall will be placed at the lake's legal shoreline. The existing railroad tie seawall will be removed. Details of the project are contained in information and plans received at the Division of Water on June 14, 2004.

Location : 51155 Aqua Drive
at Elkhart, Osolo Township, Elkhart County
SW¼, SE¼, SE¼, Section 9, T 38N, R 5E, Elkhart Quadrangle
Quad Code: 4108568

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19870

Lake : Pine Lake

Applicant : Norton Small
385 Red Oak Lane
Highland Park, IL 60035-4227

Description : An existing rip rap seawall will be replaced across a 104' +/- frontage of the applicant on Pine Lake to prevent deterioration. The seawall will consist of Shoreguard Vinyl Sheet Piling which will be tied back as per design. The location of the new seawall will be located landward of the existing shoreline replacing the rip rap. Details of the project are contained in information received electronically at the Division of Water on June 16, 2004.

Location : 7 Elm Place, Lot 7
At LaPorte, Center Township, LaPorte County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19871

Lake : Lake Gage

Applicant : Michael S Curless
346 Springmill Court
Carmel, IN 46032-9518

Description : A concrete seawall will be refaced with a layer of concrete across the applicant's frontage. The reface will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on June 15, 2004.

Location : 6675 West North Lake Gage Drive
near Angola, Millgrove Township, Steuben County
NE¼, NE¼, SW¼, Section 35, T 38N, R 12E, Angola West Quadrangle
Quad Code: 4108561

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19872

Lake : Simonton Lake

Applicant : Pat Sapikowski
51208 Blue Ribbon Lane
Elkhart, IN 46514-8104

Description : A concrete seawall will be constructed along 119' of the applicant's frontage. The wall will be placed along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 16, 2004.

Location : 51208 Blue Ribbon Lane
near Elkhart, Elkhart County
SW¼, NE¼, NE¼, Section 16, T 38N, R 5E, Elkhart Quadrangle
Quad Code: 4108568

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19874

Lake : Jimmerson Lake

Applicant : Dana Bowman
5110 North 450 West
Lot 108
Angola, IN 46703-8447

Description : A new steel sheet piling seawall will be constructed along 50' of the applicant's frontage. The wall will be constructed along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 16, 2004.

Location : 5110 North 450 West, lot 108 in the Jimmerson Shores Co-operative
near Angola, Jamestown Township, Steuben County
SW¼, SE¼, Section 30, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19875

Lake : Jimmerson Lake

Applicant : Rich Tobias
5110 North 450 West
Lot 106
Angola, IN 46703-8439

Description : A new steel sheet piling seawall will be constructed along 50' of the applicant's frontage. The wall will be constructed along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 16, 2004.

Location : 5110 North 450 West, Lot 106 in Jimmerson Shores Co-op lot
near Angola, Jamestown Township, Steuben County
SW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 30, T 28N, R 13E, Angola West Quadrangle
Quad Code: 4108561

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19876

Lake : High Lake

Applicant : Norman L Willmann
3384 East 150 South
Anderson, IN 46017-9740

Description : A riprap seawall will be constructed along 80' of the applicant's frontage. The wall will be placed along the lake's legal shoreline. The existing steel door seawall will be removed. Details of the project are contained in information and plans received at the Division of Water on June 16, 2004.

Location : 2549 Wouth Watkins Street, lot 87 in Sandpoint 4th Addition
near Albion, Noble Township, Noble County
NW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 18, T 33N, R 9E, Ormas Quadrangle
Quad Code: 4108535

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19877

Lake : High Lake

Applicant : Ivan G Geiger
3399 South 700 West
Anderson, IN 46011-9434

Description : A riprap seawall will be constructed along 71' of the applicant's frontage. The wall will be placed along the lake's legal shoreline. The existing steel door seawall will be removed. Details of the project are contained in information and plans received at the Division of Water on June 16, 2004.

Location : 8655 West Lewis Street, lot 86
near Albion, Noble Township, Noble County
NE¼, SW¼, Section 18, T 33N, R 9E, Ormas Quadrangle
Quad Code: 4108535

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19878

Lake : Big Long Lake

Applicant : Patrick L Davis
6322 Donna Drive
Fort Wayne, IN 46819-1204

Description : We would like to remove a 60 foot tie wall and replace it with a straight 60 foot concrete wall between adjoining seawall and concrete boat ramp. Details of the project are contained in information received electronically at the Division of Water on June 17, 2004.

Location : Beginning at State road #3 and County road 700 S, go East 2 miles to County road 1000 E. Turn left (North) on 1000 E. for approximately one mile to County road 645 S. (Greenwood Landing). Turn right to 10059 E.
near South Milford, Milford Township, LaGrange County
Section 26, T 36N, R 11E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19879

Lake : Jimmerson Lake

Applicant : D & D Development LLC
Thomas Danford
6850 West South Lake Gage Drive
Angola, IN 46703-9730

Description : An existing 20 ft wide, approximalty 1000 ft long channel off Jimmerson Lake will be restored to its original condition at the mouth of the channel. Approximately 2 ft of accumulated muck and debris will be removed from the channel bed by dredging to a depth of 4 ft below the average normal level of the lake at the center of the channel and sloping uniformly to a depth of 2 ft at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Water from the containment area will not be allowed to return to the lake. A temporary pier will be placed in front of the property of the applicant parallel to the shore and adjacent to it. The 4 ft wide pier will extend 4 ft lakeward of, and parallel to, the normal shoreline of the lake. It will supported by 2 inch pipes on auguars and 4x4 supports which will be placed in the lakebed using hand held tools. Additionally, in an effort to keep the mouth of the channel open, applicant would like to dredge a boat slip, at a natural indent in the channel shore, to allow the boat slip to be perpendicular to the channel. Details of the project are contained in informatin received electronically at the Division of Water on June 17, 2004.

Location : 300 Lane 101 D Jimmerson Lake; NE corner of lot 17 Oak Beach on Jimmerson Lake

at Angola, Pleasant Township, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19880

Lake : Big Turkey Lake

Applicant : Francis Kugler
220 Lane 275 Turkey Lake
Hudson, IN 46747-9234

Description : A concrete seawall will be constructed across 64' of the applicant's frontage. The wall will be placed along the lake's legal shoreline. The existing timber seawall will be removed. Details of the project are contained in information and plans received at the Division of Water on June 17, 2004

Location : 220 Lane 275 Turkey Lake, lot 31
near Hudson, Salem Township, Steuben County
NE¼, NE¼, SW¼, Section 18, T 36N, R 12E, Stroh Quadrangle
Quad Code: 4108552

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19881

Lake : Cedar Lake

Applicant : James and Laurel Johnston
2290 East Linker Road
Columbia City, IN 46725-8977

Description : A 67' x 30' underwater beach will be constructed across 67' of the applicant's 155' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on June 19, 2004.

Location : 2290 East Linker Road, lot 248
near Columbia City, Thorncreek Township, Whitley County
Section 2, T 32N, R 9E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19882

Lake : Big Long Lake

Applicant : Bill Causey
5515 Buckfield Court
Fort Wayne, IN 46814-7524

Description : A Northstar vinyl seawall will be constructed across 37' of the applicant's frontage. The wall will be placed along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 18, 2004.

Location : 10095 East 645 South, lot 17
near Wolcottville, Milford Township, LaGrange County
NW¼, Section 26, T 36N, R 11E, Stroh Quadrangle
Quad Code: 4108552

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-19883
- Lake : Barton Lake
- Applicant : Collins Bay Recreational Vehicle Community
Kevin Herber
195 Lane 101, Barton Lake
Fremont, IN 46737-9334
- Description : Three temporary piers will be placed in front of the property of the applicant on Barton Lake to provide access to and temporary/seasonal storage of boats for the Collins Bay RV Community clients. The northernmost pier is "L"-shaped, is 4 ft wide will extend 55 ft lakeward of, and perpendicular to, the (legal/average normal) shoreline of the lake. This pier then extends 165 ft parallel to the shoreline. The pier is comprised of 7 slips (3 ft. wide X 20 ft. long) for the seasonal mooring of 14 boats. The central pier is "L"-shaped, is 4 ft wide (will extend/extends) 0 ft lakeward of, and perpendicular to, the (legal/average normal) shoreline of the lake. This pier then extends 192 ft parallel to the shoreline. The pier is comprised of 8 slips (3 ft. wide X 20 ft. long) for the seasonal mooring of 16 boats. The southernmost pier is "T"-shaped, is 4 ft wide (will extend/extends) 40 ft lakeward of, and perpendicular to, the (legal/average normal) shoreline of the lake. This pier then extends 381 ft parallel to the shoreline. The pier is comprised of 15 slips (3 ft. wide X 20 ft. long) for the seasonal mooring of 30 boats. The three piers (will be/is) supported by 2 inch galvanized steel tubular posts which (will be/are) placed in the lakebed using hand held tools. Details of the project are contained in information received electronically by the Division of Water on June 22, 2004.
- Location : The project is located along the southwest shoreline of Barton Lake beginning approximately 100 ft. south of the north property line and continuing south to approximately 250 ft. north of the south property line of Collins Bay Recreational Vehicle Community
near Jamestown, Jamestown Township, Steuben County
NE¼, SW¼, NW¼, Section 17, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19885

Lake : Lake Wawasee

Applicant : Bob Phillips
404 West First Street
Milford, IN 46542-9469

Description : Approximately 135' of the channel will be dredged to a maximum depth of 8' to 10'. Currently the maximum depth is 4' 5". The channel is the only access to Lake Wawasee for the Enchanted Hills Community and is filling in fast, about to block off the channel altogether. A new vinyl seawall will be constructed along 235' of the applicants property to prevent any further problems. The new wall will be approximately 2.5' high, as measured from the channel bottom, after the channel has been dredged. It will have the same alignment as the adjacent seawall. The piling will be driven approximately 3.5' into the riverbed and will be anchored with deadmen spaced at 6' intervals. A whaler will be placed across the top of the wall to further stabilize the wall. Clean pea gravel will be brought onsite to backfill the area landward of the new seawall. Details of the project are contained in information received electronically at the Division of Water on June 23, 2004.

Location : In channel off of northeast side of Lake Wawasee
at Syracuse, Turkey Creek Township, Kosciusko County
Section 14, T 34N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11